

Technical data sheet

Forbo Sarlibase acoustic underlay		
Overall thickness	EN 428	2 mm
Roll length	EN 426	35 lm
Roll width	EN 426	2 m
Mass per unit area	EN 430	1,2 kg/m ²
Impact sound reduction	EN ISO 140-8 EN ISO 717-2	$\Delta L_w = 18$ dB
Residual indentation	EN 433 (150 min.)	$\leq 0,10$ mm
Tensile strength (elong.1%)	NF 189 . M1	150 N/50 mm
Tensile strength (elong. 2%)		300 N/50 mm
Elongation at break		2,7 mm
Strength at break		400 N/50 mm