

PRODUCT GUIDE

marmoleum® | mct | flotex® | allura | eternal | coral® | impressa®



creating better environments



FLOORING SYSTEMS

BENEFITS OF MARMOLEUM

Ergonomics

Marmoleum provides the necessary stability and traction for comfortable foot traffic. Marmoleum offers low resistance to wheeled traffic, providing easier navigation while helping reduce pains and strains related to pushing and pulling when compared to other flooring types.

Infection Control

Marmoleum's ability to inhibit the growth of bacteria stems from the natural raw materials that go into its production. An inherent property of the product, the bacteriostatic qualities of Marmoleum won't diminish over time, giving peace of mind and constant protection from the moment it is installed. Marmoleum is a supplement to and not a substitute for standard infection control practices and has been shown to reduce microbial contamination*, but does not necessarily prevent cross contamination or infections; users must continue to follow all current infection control practices.


*Based on Independent Laboratory Testing

Non Heat welded Marmoleum

Marmoleum, which is naturally PVC and Plasticizer free, no longer requires heat welding to achieve hygienic, water tight seams when installed with Forbo adhesives. This is due to continuing advancements made by Forbo Flooring Systems over the past decades in our water-based adhesive technologies, combined with Marmoleum® TopShield™ occupancy ready factory finish. Independent 3rd party research shows that non heat welded Marmoleum seams are as hygienic as heat welded sheet vinyl saving precious installation time and money.

Cost-effective

Marmoleum is cost-effective. Marmoleum with TopShield pro delivers long-lasting appearance retention and provides the lowest cost of ownership flooring solution over its lifetime. Marmoleum is engineered to withstand heavy foot traffic and has superior scuff and scratch resistance, coupled with the ability to repair the surface if damage occurs. These features, combined with a 10-year no-finish warranty, allows for an industry lowest cost of ownership.



Non-heat welded Marmoleum

topshield™ PRO



3883 | moonstone

DURABLE

Adhesive

Marmoleum is installed into wet adhesive, ensuring a 100% bond to the substrate. This type of installation helps prevent damage from topical moisture, providing a physical barrier to the intrusion of maintenance chemicals. This secure type of installation also helps prevent damage caused by pivot point movements of casters. Forbo offers a wide variety of high moisture resistant adhesives to fit the needs for many projects.

Naturally PVC, Phthalate and Red List Free


Marmoleum does not contain PVC, Phthalates, or Styrene providing a safe and low emitting floor. Marmoleum can help with LEED, Well, and ILF Living Building Challenge credits.

Durable

Thanks to its natural ingredients, Marmoleum gets more durable over time and features a 30-year System Service Life and a 30- year warranty.

Scratch resistant

Marmoleum is protected by TopShield, a double UV cured, water-based finish that provides occupancy-ready, clean-and-go installation and is repairable. In addition to Marmoleum's 30-year warranty, it also features an excellent 10-year no-finish warranty.





marmoleum® modular textura

- 7 organic linear designs embossed with realistic wood patterns
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life

10" x 40" approx. (25cm x 100cm)



saw cut

te3573 | trace of nature



saw cut

te5231 | cliffs of moher



wood grain

te5235 | north sea coast



wood grain

te5217 | withered prairie



wood grain

te5230 | white wash



wood grain

te5229 | fresh walnut



wood grain

te5218 | welsh moor


marmoleum® modular slate

- 4 colors inspired by the natural texture of stone.
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life

10" x 20" approx. (25cm x 50cm)
20" x 20" approx. (50cm x 50cm)



te3747 | lakeland shale



te3745 | cornish grey



te3725 | welsh slate



te3746 | newfoundland slate

marmoleum® modular striato

- 12 modern linear designs add an extra dimension to your space
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life

10" x 40" approx. (25cm x 100cm)



t5232 | rocky ice



t3575 | white cliffs



t5230 | white wash



t5235 | north sea coast



t5225 | compressed time



t5217 | withered prairie



t3573 | trace of nature



t5229 | fresh walnut



t5231 | cliffs of moher



t5226 | grey granite



t5237 | black sheep




t5218 | welsh moor



marmoleum® modular marble

- 15 colors of concrete structures in cool and warm greys
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



t3136 | concrete t2713 | calico t3120 | rosato t2707 | barley t3407 | donkey island



t3234 | forest ground t3232 | horse roan t3233 | shitake t3405 | granada t3216 | moraine




t2621 | dove grey t3053 | dove blue t3146 | serene grey t2629 | eiger t3048 | graphite

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

marmoleum® modular color


- 9 vibrant colors ensure a diverse palette for endless possibilities
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



t3131 | scarlet t3352 | berlin red t3354 | pumpkin yellow t3251 | lemon zest t3362 | yellow moss
 t3238 | laguna t3030 | blue t3358 | petrol t3258 | refreshing green

marmoleum® modular shade

- 10 colors inspired by natural shades
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



t3722 | stardust t3711 | cloudy sand t3716 | mercury t3717 | neptune t3718 | pluto
 t3704 | satellite t3702 | liquid clay t3568 | delta lace t3745 | cornish grey t3707 | black hole

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



mct essentials | elementals with topshield PRO

- **MCT Coordinates!** Our new collection features pops of bright color combined with a neutral base to create balance in a range of inspirational colors, ensuring efficiency and harmony of design. MCT's organic marbled texture provides a visual connection with nature bringing the outdoors in, while working well with primaries, secondary and tertiary colors. This new palette opens the door to creative and inspiring installations that define spaces, create paths and improve the environment.
- MCT EZon Guaranteed installed cost \$3.90 - \$5.45 ft² (Find Pricing Guarantee at www.forboflooringna.com/mct)
- EZvations adhesive solutions are available for installations with no need for moisture testing.
- Clean and Go – immediate occupancy; no initial maintenance required
- Naturally healthy floor mitigates mold risk and is naturally free from phthalates, pesticides and chemical agents




COORDINATES

mct essentials




mct elementals



marmoleum® marbled real

- 33 colors ensures wide color palette for endless possibilities
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life





marmoleum® marbled fresco


- 38 warm, rustic shades based on a tone-on-tone concept
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

marmoleum® marbled vivace

- 9 chameleon-like blended colors that adapt well to a multitude of interiors
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



marmoleum® marbled splash

- 6 modern playful designs that work well on their own and play well with others
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



3428 | seashell



3429 | bluemoon




3430 | salsa verde



3433 | rockpool



3431 | limoncello



3432 | fruit punch



marmoleum® marbled terra

- 4 authentic mixes of earthy colors with great soil hiding properties
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



5802 | alpine mist



5801 | river bank



5803 | weathered sand



5804 | pink granite

marmoleum® solid cocoa

- 10 chameleon-like blended colors that adapt well to a multitude of interiors
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



3580 | milk chocolate



3582 | earl grey chocolate



3583 | chocolate blues



3584 | white chocolate



3586 | indigo milk




3588 | eucalyptus



3589 | nori



3590 | meringue



3592 | salted caramel



3593 | matcha



marmoleum® solid slate

- 6 colors inspired by the natural color and texture of stone
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



e3748 | california gold e3747 | lakeland shale e3746 | newfoundland slate e3745 | cornish grey e3725 | welsh slate e3707 | highland black

marmoleum® solid walton uni and cirrus

- 15 easily adaptable colors with a soft subtle texture
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



3369 | titanium 3367 | alloy 171 | cement 3368 | grey iron 186 | lead 173 | paving




3358 | petrol 3360 | vintage blue 3355 | rosemary green 3359 | bottle green 3353 | eggplant purple 3363 | lilac



123 | black 3352 | berlin red 3370 | terracotta

marmoleum® solid concrete

- 33 shades that vary from warm to cool tones including 6 bright accents
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



3738 | orange glow 3743 | red glow 3740 | purple glow 3739 | blue glow 3742 | green glow 3741 | yellow glow 3707 | black hole



3712 | orange shimmer 3737 | red shimmer 3735 | purple shimmer 3734 | blue shimmer 3736 | green shimmer 3733 | yellow shimmer 3725 | cosmos



3727 | drift 3568 | delta lace 3730 | stella 3731 | flux 3732 | asteroid 3724 | orbit 3703 | comet



3709 | silt 3706 | beton 3702 | liquid clay 3704 | satellite 3711 | cloudy sand 3701 | moon 3705 | meteorite



3723 | nebula 3708 | fossil 3728 | kaolin 3729 | mica 3726 | venus


marmoleum® sheet & tile quick specs

product	width roll / tile size / gauge
marmoleum® cocoa, slate, real, fresco, terra, concrete, piano, striato, splash, vivace, and MCS	79" (2 m), 77 yd ² (64 m ²) 105 lin ft (32 m), 1/10" (2.5 mm) MCS only - 0.080" (2.0 mm)
marmoleum® modular tile	10" x 10" (25 cm x 25 cm) 1/10" (2.5 mm), 26.91 ft ² / ctn (2.5m ²) 10" x 20" (25 cm x 50 cm) 20" x 20" (50 cm x 50 cm) 1/10" (2.5 mm), 53.82 ft ² / ctn (5 m ²) 10" x 40" (25cm x 100cm) 1/10" (2.5 mm), 32.39 ft ² / ctn (3m ²)
MCT	13" x 13" (33 cm x 33 cm) 0.080" (2.0 mm), 53.82 ft ² / ctn (5 m ²)
marmoleum® decibel	79" (2 m), 77 yd ² (64 m ²) 105 lin ft (32 m), 0.137" (3.5 mm)
marmoleum® borders and corners	border size: 4 3/8" x 39 3/8" corner size: 4 3/8" x 4 3/8" 1/10" (2.5 mm)
walton	79" (2 m), 77 yd ² (64 m ²) 105 lin ft (32 m), 1/10" (2.5 mm)



marmoleum® solid piano

- 19 sophisticated colors featuring a two-tone speckle effect
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life



marmoleum® striato linear

- 16 neutral blends of color that offer a soft comfortable look
- USDA Certified 100% biobased content
- Naturally phthalate and plasticizer free
- Contributes to LEED® credits
- 30-year system service life





ACOUSTIC SOLUTIONS

Sound is noise pollution and it can have adverse effects on the human body such as sleeping disorders, stress, headaches, memory loss, aggressiveness and learning difficulties. In fact, the fight against noise is a question of public health, as well as keeping our surroundings comfortable and quiet. That's why acoustic performance is essential when designing a new building or refurbishing an existing one.

A materials impact on acoustics can be measured by how well it can lower background noise levels, serve as acoustical insulation, and reduce the transmission of impact sound, such as footsteps. Marmoleum can help to improve communication, block unwanted sounds, and lower overhead noise.

Marmoleum has one of the highest Noise Reduction Coefficients (NRC) for resilient flooring (sound absorption), provides excellent Sound Transmission Class (STC) (sound insulation) and can achieve an Impact Insulation Class (IIC) over 60 (Marmoleum Decibel six in slab with drop ceiling) reducing foot falls.

marmoleum® decibel
made to order



Marmoleum Decibel provides the highest impact sound reduction of 18dB. This sustainable acoustic flooring consists of 2.5 mm Marmoleum laminated onto a 1 mm layer of polyolefin foam. Marmoleum Decibel "made to order" allows the use of any color or structure in Marmoleum possible. Minimum order quantities and lead times apply. Please contact your local sales representative for more information.

Also available from stock in 14 colors selected from the Marmoleum Marbled collection and 13 colors from Marmoleum Concrete, please check with customer service for lead time. Visit www.forboflooringna.com for the full range of colors.

impressa®

- 15 timeless authentic wood looks inspired by nature
- Natural base made from renewable raw materials, which is reinforced by a polyester carrier and has high dimensional stability and indentation resistance.
- Naturally free from PVC, phthalates and styrene
- Transparent surface finish ensures easy care against everyday wear

10" x 40" approx. (25cm x 100cm)



ti9111 | classic natural oak



ti9108 | honey fine oak



ti9109 | whitewash fine oak



ti9105 | bleached pine



ti9106 | nordic pine



ti9112 | pure natural oak



ti9110 | silver fine oak



ti9107 | natural pine



ti9104 | red cherry



ti9113 | darkwash natural oak



ti9101 | blond beech



ti9102 | warm beech



ti9114 | light zebrano




ti9115 | dark zebrano



312035 | rosato



303835 | Caribbean



314635 | serene grey



325235 | sparrow



324635 | shrike




386035 | silver shadow



262135 | dove grey



305335 | dove blue



304835 | graphite



322435 | chartreuse



303035 | blue



387235 | volcanic ash



322535 | dandelion



312735 | Bleeckerstreet




Designing with Marmoleum

With Marmoleum flooring you can make the most refined floor designs. Our very precise waterjet cutting technique offers a sophisticated detailing in designs, perfect to create your own identity on your floor; a logo, a text, a piece of art. Or choose tailor made laser engraving, with which your own design can be lasered on the linoleum. Explore your possibilities.

marmoleum® borders & corners

Marmoleum Borders and Corners are exceptionally precise, water-jet cut, made-to-order design elements that can be used to add unique, custom features to your floor design. Choose your individual color palette in any of our standard configurations. Once a request form is filled out and the product is ordered, standard delivery is within 4-6 weeks. Minimum order is one linear meter of border or one corner.



forbo wall base

Forbo Wall Base is available in seventy colors in a 4" height* that will put the finishing touch on your Marmoleum installation.

Visit www.forboflooringna.com to view the full selection of colors

* Select colors also available in 6" height and straight toe, please contact customer service for minimum order requirements.



bulletin board®

- Extremely durable
- Low level of light reflectance
- Will not warp or crumble
- 48" (122 cm) width
- * Select colors available in 72" (183 cm) width



marmoleum® wall panels & surface solutions

Marmoleum® Wall Panels

- Provide increased impact resistance and easy installation
- Meet the demanding California CARB phase 1 standard for formaldehyde emissions
- Feature 10.7% rapidly renewable materials and contain 77% pre-consumer (post-industrial) recycled content

Both **Marmoleum® Wall Panels** & **Marmoleum® Surface Solutions** provide durability, reparability, permanent bacteriostatic properties, and are available in a broad range of colors.





Installation methods

Brick - 1	Brick - 2
Double herringbone - 1	Double herringbone - 2
Herringbone - 1	Herringbone - 2
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



Installation methods

Brick - 1	Brick - 2
Double herringbone - 1	Double herringbone - 2
Herringbone - 1	Herringbone - 2
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

flotex® modular triad

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



131005 | platinum 131010 | taupe 131015 | stone 121001 | embossed zinc ♦ 131006 | silver 131007 | steel 131017 | anthracite 131008 | shadow



131013 | green line 131003 | green 131012 | blue line 131002 | blue 131011 | red line 131001 | red 131014 | amber line 131004 | amber

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

♦ Item is non-stock; lead time 10-12 weeks

flotex® modular seagrass

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



111004 | charcoal 111002 | cement 111001 | pearl



111003 | almond 111006 | liquorice 111005 | walnut

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



Installation methods

Brick - 1	Brick - 2
Double herringbone - 1	Double herringbone - 2
Herringbone - 1	Herringbone - 2
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



Installation methods

Brick - 1	Brick - 2
Herringbone - 1	Herringbone - 2
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

flotex® modular wood

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



151005 | red wood



151001 | black wood



151002 | grey wood



151003 | silver wood



151006 | antique wood



151007 | english wood ♦



151008 | rustic wood ♦



151004 | american wood

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

♦Item is non-stock; lead time 10-12 weeks

flotex® modular lava II

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



075076 | vesuvius



075079 | tambora



075078 | etna



075080 | pinatubo



075077 | krakatoa



075075 | pelee




075081 | trident



075082 | koro

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



Installation methods

	
Half drop - 1	Half drop - 2
	
Random drop installation - 1	Random drop installation - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



Installation methods


	
Half drop - 1	Half drop - 2
	
Double herringbone - 1	Double herringbone - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.


flotex® modular boxcross

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



133002 | pearl 133007 | granite 133008 | blueberry 133011 | anthracite 133010 | seal



133004 | biscuit 133005 | linen 133016 | crimson 133009 | petrol

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com


flotex® modular concrete

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)




139003 | smoke 139001 | cloud 139002 | thunder 139004 | storm




139011 | aqua ♦ 139012 | sunset ♦ 139014 | lichen ♦ 139013 | spa ♦

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

♦Item is non-stock; lead time 10-12 weeks






Installation methods

	
Half drop - 1	Half drop - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



Installation methods

	
Half drop - 1	Half drop - 2
	
Double herringbone - 1	Double herringbone - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

flotex® modular frameweave

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



142003 | sepia 142012 | verdant 142008 | pesto 142011 | flame 142004 | cirtine 142007 | ember 142016 | pine 142015 | violet




142005 | anchor 142001 | pave 142006 | capri 142014 | marine 142013 | graphene 142009 | lignite 142002 | ink 142010 | harbour

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® modular montage

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



147008 | tundra 147004 | moraine 147003 | tropic 147001 | boreal





147007 | arctic 147005 | estuary 147002 | horizon 147006 | glacier


1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com




Installation methods

	
Half drop - 1	Half drop - 2
	
Double herringbone - 1	Double herringbone - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



Installation methods

	
Half drop - 1	Half drop - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.

flotex® modular ombré

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls


9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



149008 | tundra




149004 | moraine



149003 | tropic



149006 | glacier



149007 | arctic



149005 | estuary



149002 | horizon



149001 | boreal

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® modular converge

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



141006 | arc



141001 | prism



141002 | aurora



141003 | zenith



141007 | pinnacle



141004 | sunbeam







141005 | radiant

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



Installation methods

	
Half drop - 1	Half drop - 2
	
Herringbone - 1	Herringbone - 2
	
Weave - 1	Weave - 2

IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.



flotex® modular refract

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



137001 | obsidian




137004 | quartz



137005 | topaz



137006 | malachite



137002 | firoza



137003 | sapphire


flotex® colour canyon sheet/tile/plank*

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls


20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
s = sheet, t = tile, p = plank
* Select colors available in 100x25 cm planks




s445022/t545022/p945022 | limestone




s445021/t545021/p945021 | stone



s445020/t545020/p945020 | pumice



s445019/t545019/p945019 | slate



s445024/t545024 | cloud



s445028/t545028 | sapphire



s445029/t545029 | seafoam




s445027/t545027 | kelp




s445030/t545030 | sulphur




s445026/t545026 | garnet



s445025/t545025 | earth




s445023/t545023 | linen



flotex® colour calgary sheet/tile/plank*

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
s = sheet, t = tile, p = plank
* Select colors available in 100x25 cm planks



1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® colour penang sheet/tile/plank*

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20") (tile/plank)
4.3 mm (.17") (sheet)
s = sheet, t = tile, p = plank
* Select colors available in 100x25 cm planks



1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



flotex® colour metro sheet/tile/plank*

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
 Gauge: 5.0 mm (.20") (tile/plank)
 4.3 mm (.17") (sheet)
s = sheet, t = tile, p = plank
 * Select colors available in 100x25 cm planks



s246005 | t546005 | p946005
nimbus



s246006 | t546006 | p946006
grey



s246024 | t546024 | p946024
carbon



s246007 | t546007 | p946007
ash




s246008 | t546008 | p946039
anthracite



s246011 | t546011 | p946011
pebble




s246009 | t546009 | p946009
pepper



s246029 | t546029
truffle



s246015 | t546015
cocoa



s246014 | t546014 | p946014
concrete



s246012 | t546012
sand



s246030 | t546030
cinnamon



s246010 | t546010
chocolate




s246027 | t546027
burgundy




s246017 | t546017 | p946017
berry




s246026 | t546026 | p946026
red




s246031 | t546031
cherry



s246035 | t546035
pink



s246034 | t546034
lilac



s246016 | t546016 | p946016
grape

flotex® colour metro sheet/tile/plank*

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls


20" x 20" approx. (50 cm x 50 cm)
 Gauge: 5.0 mm (.20") (tile/plank)
 4.3 mm (.17") (sheet)
s = sheet, t = tile, p = plank
 * Select colors available in 100x25 cm planks



s246018 | t546018
mineral




s246028 | t546028
jade



s246033 | t546033
emerald




s246032 | t546032 | p946032
petrol




s246001 | t546001 | p946001
indigo




s246002 | t546002
tempest




s246004 | t546004
gull




s246020 | t546020 | p946020
lagoon




s246036 | t546036
gold



s246025 | t546025 | p946025
tangerine




s246037 | t546037
apple



s246019 | t546019 | p946019
citrus



s246013 | t546013
amber





s246022 | t546022
evergreen



s246021 | t546021
moss






IMPORTANT Although the various collections can be installed straight (or broadloom), there is no guarantee that the lines from one tile to another will match up during installation. For this reason, it is recommended to first dry lay some of the tiles so that a decision may be made on the arrow direction prior to the start of installation.


flotex® linear complexity tile

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20")




Complexity coordinates with Integrity²



t550001 | grey



t550007 | blue



t550003 | charcoal



t550010 | straw



t550004 | navy




t550006 | marine

flotex® linear integrity² tile

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20")




Integrity² coordinates with Complexity



t350011 | leaf




t350009 | taupe




t350003 | charcoal




t350006 | marine




t350004 | navy



t350001 | grey



t350012 | granite




t350002 | steel

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® linear stratus tile

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20")



broadloom or quarter-turn installation



t540014 | eclipse




t540006 | ruby



t540007 | mint



t540015 | storm



t540003 | sisal



t540004 | fossil



t540005 | sapphire




t540008 | onyx

flotex® linear cirrus tile

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

20" x 20" approx. (50 cm x 50 cm)
Gauge: 5.0 mm (.20")



broadloom or quarter-turn installation



t570015 | storm



t570014 | eclipse




t570005 | sapphire



t570008 | onyx




t570007 | mint



t570004 | fossil



t570003 | sisal



t570006 | ruby

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



flotex® principles ensure

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



065052 | quartz 065053 | slate 065060 | stone 065010 | cappucino 065022 | coffee 065054 | sand 065051 | ivory



065055 | honey 065056 | clover 065059 | ruby 065015 | garnet 065057 | cobalt 065007 | sapphire 065058 | charcoal


flotex® principles empower

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



065152 | quartz 065153 | slate 065160 | stone 065110 | cappucino 065122 | coffee 065154 | sand 065151 | ivory



065155 | honey 065156 | clover 065159 | ruby 065115 | garnet 065157 | cobalt 065107 | sapphire 065158 | charcoal

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® principles encourage

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



065262 | crystal 065263 | faded denim 065273 | steel 065274 | latte 065272 | harvest 065268 | celery 065261 | khaki



065270 | lemon 065271 | celadon 065269 | shamrock 065267 | cardinal 065265 | blue suede 065266 | Pacific 065264 | blueberry

flotex® principles explore

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)



065362 | crystal 065363 | faded denim 065373 | steel 065374 | latte 065372 | harvest 065368 | celery 065361 | khaki



065370 | lemon 065371 | celadon 065369 | shamrock 065367 | cardinal 065365 | blue suede 065366 | Pacific 065364 | blueberry

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



flotex® harmony lindy

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

10" x 40" approx. (25 cm x 50 cm)



055021 | pewter



055003 | caramel



055009 | coconut



055012 | dunes



055024 | sage



055006 | coastal




055015 | garnet



055027 | surf



055000 | aquamarine



055018 | ocean

flotex® harmony ballet

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

10" x 40" approx. (25 cm x 50 cm)



055119 | driftwood



055116 | amber



055125 | sand dollar



055110 | cappuccino



055101 | oyster



055122 | coffee




055104 | cabernet



055107 | sapphire



055103 | seaside



055128 | emerald

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® harmony paso

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

40" x 40" approx. (100 cm x 100 cm)
10" x 40" approx. (25 cm x 50 cm)



**broadloom or
quarter-turn installation**



055423 | pewter coffee



055408 | coastal sapphire



055411 | coconut cappuccino



055414 | dunes seaside



055426 | sage sand dollar



055405 | caramel cabernet



055417 | garnet amber



055429 | surf emerald



055402 | aquamarine oyster



055420 | ocean driftwood

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



flotex® harmony salsa

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

40" x 40" approx. (100 cm x 100 cm)
10" x 40" approx. (25 cm x 50 cm)



**broadloom or
quarter-turn installation**



055323 | pewter coffee



055308 | coastal sapphire



055311 | coconut cappuccino



055314 | dunes seaside



055326 | sage sand dollar



055305 | caramel cabernet



055317 | garnet amber



055329 | surf emerald



055302 | aquamarine oyster



055320 | ocean driftwood

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® harmony tango

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

40" x 40" approx. (100 cm x 100 cm)
10" x 40" approx. (25 cm x 50 cm)



**broadloom or
quarter-turn installation**



055223 | pewter coffee



055208 | coastal sapphire



055211 | coconut cappuccino



055214 | dunes seaside



055226 | sage sand dollar



055205 | caramel cabernet



055217 | garnet amber



055229 | surf emerald



055202 | aquamarine oyster



055220 | ocean driftwood


1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



flotex® modular savannah

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls

9.84" x 39.37" (25cm x 100cm)
Gauge: 0.2" (5.0 mm)
See website for installation methods



911001 | pearl



911003 | almond



911002 | cement



911004 | charcoal



911005 | walnut



911006 | liquorice

flotex® tibor sheet

Pioneering textile designer Tibor Reich – creator of Tibor – was one of the most prominent figures in the British Post-war textile industry. Printed on Forbo Flotex in vibrant colors, Tibor's innovative Fotexur designs have a timeless feel, despite dating back 70 years. Please visit www.forboflooringNA.com to view the full collection.




onyx




tweedy



ziggurat




quartz




arbor



tessello



mosaic



atomic



**sustainable
sample**

done with your samples?
let us recycle them for you
call 1-800-842-7839 for info



flotex® naturals II sheet

- Waterproof - 100% impervious to water
- Durable - 46,000 upright nylon 6.6 fibers per in², resists crushing and matting
- Easy to Clean - Dense, upright fiber makes it easier to clean (no loops or twists to trap dirt)
- Soil & Stain Resistant - Most spills can be removed, including permanent marker
- Slip-Resistant Wet & Dry - Provides safety and minimizes liability from slips and falls



Roll size: 6'6" (200 cm)
Gauge: 4.3 mm (0.17")



010058-II | titanium oak



010078-II | shaded oak



010076-II | limed wood



010041-II | smoked beech



010038-II | white oak



010039-II | European white wood



010073-II | heritage plank



010035-II | distressed oak



010042-II | steamed beech



010036-II | american oak



010075-II | warm oak



010040-II | antique pine



010077-II | smoked walnut




010055-II | chestnut




010037-II | blackened oak



010074-II | shadow plank



010079-II | hungarian point grey



010071-II | summer chevron



010080-II | hungarian point




010072-II | autumn chevron

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

flotex® vision sheet

With Flotex Vision, Forbo offers over 500 colors in 6 design categories for a range of vibrant visuals produced with photo realistic resolution. Visit www.flotexvision.com to explore the infinite combinations of colors and patterns that include "trompe l'oeil" designs and natural grass, sand, and water images.




floral



image




naturals



lines



pattern



shape

flotex® journeys II sheet


- Pattern repeat: length 19.7" (50 cm)
- Roll size: 6'6" (200 cm)
- Gauge: 4.3 mm (0.17")
- More colors are available on flotexvision.com



630001 | yellowstone



630017 | russet



630013 | wheat sheaf



630018 | haystack



630014 | harvest



630015 | lilac



630011 | grand canyon



630006 | sequoia



630008 | laurentian mountains



630009 | mesa verde



630007 | joshua tree



630012 | acadia



630005 | green mountain



630010 | everglades



630004 | black hills



630016 | spa



630002 | cypress falls



630003 | glacier bay


1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



Additional colors are available online at
WWW.FORBOFLOORINGNA.COM

colorex® SD | EC

- conductive floor covering
- long-lasting performance
- conductive coated chips form a solid, homogeneous compound
- stable in size and dimensions
- constant, permanent and not influenced by ambient humidity or aging of product



colorex® signal



colorex® plus

colorex®	EC plus	basic plus
everest	621001	
montblanc	621004*	611004
adula	621005	611005
quartz	621007	611007
sahara	621013	611013
niagara	621022	611022

*note: 621004 Montblanc EC Plus is stocked, all other Plus items are non-stock

eternal step

The fresher alternative to the conventional safety flooring visual, with an improved cleaner aesthetic.




eternal step SR aqua

Designed for barefoot (and soft soled shoe) areas.



eternal step SR

Use of the Step crystals provides a warmer and cleaner appearance while maintaining a high slip resistance and ease of maintenance



eternal step wood

Wood visual with the practically invisible Step Crystals for lasting slip resistance performance.





eternal wood sheet

- 17 contemporary wood designs
- The extensive range of realistic designs compliments a wide variety of interiors
- True to nature effect with clean Wood embossing and natural colors
- Meets all of the functional and practical requirements demanded in various segments
- Can be combined with Eternal Material to create an even wider range of designs



10232 | dark walnut



11162 | tropical beech



11442 | washed beech



11542 | traditional oak



11192 | light beech



10842 | cream oak



12802 | elegant oak



12862 | grey oak



13942 | classic timber




11952 | steamed oak



36022 | classic herringbone



36042 | brown herringbone



36062 | grey herringbone




10432 | grey washed oak



11612 | mid oak



11492 | warm cherry



10452 | dark oak


1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com

eternal material sheet


- 19 modern designs with a good balance of warm and cool grey color tones
- Presents a wide range of textiles, metals and stones which create a soft, elegant look and feel
- Consists of a 0.7 wear layer that ensures maximum wear resistance and excellent appearance retention
- Meets all of the functional and practical requirements demanded in various segments
- Can be combined with Eternal Material to create an even wider range of designs



10012 | pebble stucco



10032 | fossil stucco



10042 | graphite stucco




12472 | mortar textured concrete



12492 | taupe textured concrete



12422 | grey textured concrete



13002 | silver concrete



13022 | beton concrete




13032 | anthracite concrete



13082 | gravel concrete



12012 | quartz stone



12032 | coal stone



12092 | neutral stone




13762 | brushed bronze




13772 | brushed aluminium




66142 | dust smaragd



61042 | mist smaragd



61962 | grey smaragd



61052 | white smaragd

1-800-842-7839 | www.forboflooringNA.com | email: info.na@forbo.com



Abbreviations

DR | allura dryback (0.70/0.55/0.40)
 DR7 | 0.70
 DR5 | 0.55
 DR4 | 0.40
 FL | allura flex (1.00/0.55)
 FL1 | 1.00
 FL5 | 0.55
 CL | allura click pro (0.55)
 EA | allura ease (0.70)
 PZ | allura puzzle (0.70)

Size Chart:
 Approx. 70.87" x 12.6" (180 cm x 32 cm)
 Approx. 59.1" x 11" (150 cm x 28 cm)
 Approx. 59.06" x 9.33" (150.5 cm x 23.7 cm)
 Approx. 59.01" x 7.9" (150 cm x 20 cm)
 Approx. 47.72" x 7.15" (121.2 cm x 18.7 cm)
 Approx. 47.2" x 7.9" (120 cm x 20 cm)
 Approx. 39.4" x 39.4" (100 cm x 100 cm)
 Approx. 39.4" x 19.69" (100 cm x 50 cm)
 Approx. 39.4" x 5.91" (100 cm x 15 cm)
 Approx. 37.8" x 37.8" (96 cm x 96 cm)
 Approx. 29.53" x 9.84" (75 cm x 25 cm)
 Approx. 29.53" x 5.91" (75 cm x 15 cm)
 Approx. 23.62" x 12.48" (60 cm x 31.7 cm)
 Approx. 19.69" x 19.69" (50 cm x 50 cm) 



Abbreviations

DR | allura dryback (0.70/0.55/0.40)
 DR7 | 0.70
 DR5 | 0.55
 DR4 | 0.40
 FL | allura flex (1.00/0.55)
 FL1 | 1.00
 FL5 | 0.55
 CL | allura click pro (0.55)
 EA | allura ease (0.70)
 PZ | allura puzzle (0.70)

Size Chart:
 Approx. 70.87" x 12.6" (180 cm x 32 cm)
 Approx. 59.1" x 11" (150 cm x 28 cm)
 Approx. 59.06" x 9.33" (150.5 cm x 23.7 cm)
 Approx. 59.01" x 7.9" (150 cm x 20 cm)
 Approx. 47.72" x 7.15" (121.2 cm x 18.7 cm)
 Approx. 47.2" x 7.9" (120 cm x 20 cm)
 Approx. 39.4" x 39.4" (100 cm x 100 cm)
 Approx. 39.4" x 19.69" (100 cm x 50 cm)
 Approx. 39.4" x 5.91" (100 cm x 15 cm)
 Approx. 37.8" x 37.8" (96 cm x 96 cm)
 Approx. 29.53" x 9.84" (75 cm x 25 cm)
 Approx. 29.53" x 5.91" (75 cm x 15 cm)
 Approx. 23.62" x 12.48" (60 cm x 31.7 cm)
 Approx. 19.69" x 19.69" (50 cm x 50 cm) 

allura


- The Allura Collection offers 64 designs in a wide range of sizes that are available in wood, metal, stone, and abstract visuals
- Top layer prevents scratching & staining
- Extreme dimensional stability performance; avoids seams and gaps appearing over time
- Easy to install, clean, and maintain
- For more information visit www.forboflooringna.com



allura


- The Allura Collection offers 64 designs in a wide range of sizes that are available in wood, metal, stone, and abstract visuals
- Top layer prevents scratching & staining
- Extreme dimensional stability performance; avoids seams and gaps appearing over time
- Easy to install, clean, and maintain
- For more information visit www.forboflooringna.com





Size Chart

Approx. 59.01" x 7.9" (150 cm x 20 cm)
 Approx. 47.2" x 7.9" (120 cm x 20 cm)
 Approx. 39.4" x 39.4" (100 cm x 100 cm)
 Approx. 39.4" x 7.9" (100 cm x 20 cm)
 Approx. 39.4" x 6.53" (100 cm x 16.6 cm)
 Approx. 29.53" x 19.69" (75 cm x 50 cm)
 Approx. 19.69" x 19.69" (50 cm x 50 cm)



Size Chart

Approx. 59.01" x 7.9" (150 cm x 20 cm)
 Approx. 47.2" x 7.9" (120 cm x 20 cm)
 Approx. 39.4" x 39.4" (100 cm x 100 cm)
 Approx. 39.4" x 7.9" (100 cm x 20 cm)
 Approx. 39.4" x 6.53" (100 cm x 16.6 cm)
 Approx. 29.53" x 19.69" (75 cm x 50 cm)
 Approx. 19.69" x 19.69" (50 cm x 50 cm)




allura® decibel

- Allura Decibel is a high quality flooring that offers a range of very realistic Wood & Material in 42 designs
- 100% phthalate free flooring, low indoor emissions; produced with the best possible environmental profile
- Low in-room impact sound and comfortable underfoot
- Beautiful floor design with excellent performance in acoustic noise reduction (19dB) and dimensional stability
- There's a wear layer thickness for every type of project; 0.8 for the project market & 0.35 for the housing market

						
5101 winter harvest oak 0.35 : 5101AD3 0.80 : 5101AD8	5103 golden harvest oak 0.35 : 5103AD3 0.80 : 5103AD8	5104 rustic harvest oak 0.35 : 5104AD3 0.80 : 5104AD8	5113 summer harvest oak 0.35 : 5113AD3 0.80 : 5113AD8	5201 pale authentic oak 0.35 : 5201AD3 0.80 : 5201AD8	5202 smoked authentic oak 0.35 : 5202AD3 0.80 : 5202AD8	5203 honey authentic oak 0.35 : 5203AD3 0.80 : 5203AD8
						
5204 classic authentic oak 0.35 : 5204AD3 0.80 : 5204AD8	5224 deep authentic oak 0.35 : 5224AD3 0.80 : 5224AD8	5301 smoke smooth oak 0.35 : 5301AD3 0.80 : 5301AD8	5303 dune smooth oak 0.35 : 5303AD3 0.80 : 5303AD8	5313 golden smooth oak 0.35 : 5313AD3 0.80 : 5313AD8	5403 light honey antique oak 0.35 : 5403AD3 0.80 : 5403AD8	5404 natural antique oak 0.35 : 5404AD3 0.80 : 5404AD8
						
5424 taupe antique oak 0.35 : 5424AD3 0.80 : 5424AD8	5503/5503L sun-bleached serene oak 0.35 : 5503AD3/5503LAD3 0.80 : 5503AD8/5503LAD8	5513/5513L weathered serene oak 0.35 : 5513AD3/5513LAD3 0.80 : 5513AD8/5513LAD8	5524/5524L espresso serene oak 0.35 : 5524AD3/5524LAD3 0.80 : 5524AD8/5524LAD8	6601/6601L fog slabstone 0.35 : 6601AD3 0.80 : 6601AD8/6601LAD8	6602 smoke slabstone 0.35 : 6602AD3 0.80 : 6602AD8	6604 silt slabstone 0.35 : 6604AD3 0.80 : 6604AD8

allura® decibel

- Allura Decibel is a high quality flooring that offers a range of very realistic Wood & Material in 42 designs
- 100% phthalate free flooring, low indoor emissions; produced with the best possible environmental profile
- Low in-room impact sound and comfortable underfoot
- Beautiful floor design with excellent performance in acoustic noise reduction (19dB) and dimensional stability
- There's a wear layer thickness for every type of project; 0.8 for the project market & 0.35 for the housing market

						
6609 charcoal slabstone 0.35 : 6609AD3 0.80 : 6609AD8/6609LAD8	6709 fossil twine 0.35 : 6709AD3 0.80 : 6709AD8	6712 smoke twine 0.35 : 6712AD3 0.80 : 6712AD8	6714 honey twine 0.35 : 6714AD3 0.80 : 6714AD8	6724 taupe twine 0.35 : 6724AD3 0.80 : 6724AD8	6901 quartz stromboli 0.35 : 6901AD3 0.80 : 6901AD8	6902 basalt stromboli 0.35 : 6902AD3 0.80 : 6902AD8
						
6903 limestone stromboli 0.35 : 6903AD3 0.80 : 6903AD8	6913 burgundy stromboli 0.35 : 6913AD3 0.80 : 6913AD8	9008 jade emperador 0.80 : 9008AD8	9011 light grey emperador 0.80 : 9011AD8	9019 dark grey emperador 0.80 : 9019AD8	9024 lively beige emperador 0.80 : 9024AD8	9557 traditional scott 0.80 : 9557AD8
						
9558 natural scott 0.80 : 9558AD8	9666 evening sky 0.80 : 9666AD8	9668 stormy sky 0.80 : 9668AD8	9715 saffron ash 0.80 : 9715AD8	9716 ruby ash 0.80 : 9716AD8	9717 deep blue ash 0.80 : 9717AD8	9718 sage green ash 0.80 : 9718AD8



All colors of **Coral Brush** are also available in **20" x 20"** approx. (50 cm x 50 cm) phthalate free vinyl backed tile.

coral® duo

- 75% of the yarn is regenerated Ecnyl® solution dyed polyamide
- Produced with phthalate free technology
- Unbeatable performance on both moisture and dirt removal
- Complies with the highest fire class standard: Bfl-s1
- Suitable for the toughest commercial use
- Ideal for inside entrances with limited entrance floor space



9730 black diamond ♦ 9721 dark steel ♦ 9710 luna pearl ♦



9714 sicilian sand ♦ 9708 green bellagio ♦ 9747 azul imperial ♦


♦ Items are stocked. The lead time for non-stock items is 6-8 weeks.

coral® mats

Coral mats are available in the following standard sizes:

(width of entrance x walkoff length)

3'x 5' 5'x 3' 4'x 6' 6'x 4' 6'x 10' 6'x 20'



note:

- custom sizes available upon request
- dimensions include the rubber-edge profile (1.5" approx.)
- 4" x 6" black mat available for quick ship, inquire for details.

coral® brush


Additional non-stock Coral collections available online at www.forboflooringNA.com

- Stop up to 95% of the walk-in dirt and moisture
- Reduce maintenance & cleaning costs by up to 65%
- Minimize liability from slips and falls
- Maximize the useful life of interior finishes
- Length matters! longer walk off = greater protection



coral® grip

- with Everfort vinyl backing
- with open structure



♦ Items are stocked. The lead time for non-stock items is 6-8 weeks.



Additional non-stock Coral collections available online at www.forboflooringNA.com

combination of 6 types of yarn
primary backing
backing material vinyl or latex

nuway®

Nuway engineered entrance flooring is used outside doorways and immediately inside heavily trafficked entrance areas to scrape off the worst of soil tracked in on the soles of shoes or wheeled vehicles. These rigid engineered mats, constructed of profiles, scrapers, and insert materials, are made to the customer's individual specifications.

nuway® tuftiguard

Application: internal and external (using plain unbuffered wiper)
Wiper Strips: pile - standard colors
Select: color matching service available
Scraper Bars: aluminum and PVC standard colors
Height: 12mm and 17mm
Wiper Strips: single and double
Construction: open and closed



nuway® tuftiguard HD

Application: internal and external (using plain unbuffered wiper)
Wiper Strips: pile - standard colors
Scraper Bars: aluminum
Feature Strips: none
Height: 12mm and 17mm
Wiper Strips: double only
Construction: closed only



nuway® grid

Single-sided entrance flooring system
Application: internal and external (using rubber insert)
Module Width: maximum 3000mm
Module depth: maximum 750mm
Height: rubber 19mm
burford 24mm
classic 23mm
brush activ 23mm



product application chart

All items marked below are the preferred products to be used for each application type. If there is any questions on suitability, please contact forbo prior to installation.

Application	Resilient									Surfaces	Textile		Entrance		
	Marmoleum Sheet & MCS	Marmoleum Tile (MCT/ Modular)	Marmoleum Decibel	Marmoleum Textura (Sheet & Tile)	Eternal Sheet Vinyl	Eternal Step	Eternal Step-Aqua	Colorex	Colorex Plus & R11	Allura/ Allura Flex	Bulletin Board	Flotex Sheet	Flotex Tile	Coral	Nuway
healthcare															
cafeteria / dining	X	X		X	X					X		X	X		
corridors	X	X	X	X	X							X	X		
desks / cupboards / furniture systems	X														
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
er/ trauma	X				X										
exam room	X	X		X	X					X					
hydrotherapy room						X	X								
laboratories	X	X		X	X	X									
nurses station	X	X	X	X	X										
office / administrative	X	X	X	X	X					X		X	X		
operating / procedure room	X				X				X						
patient room / physical therapy room	X	X	X	X	X							X	X		
pharmacy	X	X	X	X	X							X	X		
ramps (indoor)						X	X								
ramps (outdoor)														X*	X**
server room								X	X						
surgey / surgical prep areas	X	X			X				X						
tackable wall surface / partitions											X				
utility room / service area	X	X			X										
waiting area	X	X		X	X					X		X	X		
education / institutional															
auditoriums	X	X		X	X							X	X		
cafeteria / dining	X	X		X	X							X	X		
classrooms	X	X		X	X							X	X		
corridors	X	X	X	X		X						X	X		
desks / cupboards / furniture systems	X														
dormitory rooms / lobbies	X	X	X	X	X							X	X		
entrances														X	X
food prep	X				X	X									
gymnasium / multi-purpose room	X	X		X	X							X	X		
kitchen		X				X									
laboratories	X	X	X	X	X	X									
library	X		X	X	X					X		X	X		
locker rooms	X	X		X	X	X	X					X***	X***		
office / administrative	X	X	X	X	X					X		X	X		
ramps (indoor)						X	X					X	X		
ramps (outdoor)														X*	X**
restrooms	X				X	X									
server rooms								X	X						
tackable wall surface / partitions											X				
utility room / service area	X	X		X	X										
corporate															
corridors	X	X	X	X	X					X		X	X		
desks / cupboards / furniture systems	X														
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
office / conference room	X	X	X	X	X	X				X		X	X		
ramps (indoor)						X	X					X	X		
ramps (outdoor)														X*	X**
restrooms	X	X			X	X									
server rooms								X	X						
tackable wall surface / partitions											X				
vending area / lunchroom	X	X		X	X							X	X		
retail / hospitality															
checkout counters / tabletops	X														
corridors	X	X	X	X	X					X		X	X		
deli / bakery	X	X		X	X	X				X		X	X		
eating areas	X	X		X	X	X				X		X	X		
elevators / lobbies	X	X		X	X	X				X		X	X		
entrances														X	X
exercise room / health club	X	X		X	X							X	X		
food service	X	X		X	X	X									
frozen food / dairy	X	X		X	X	X									
sales floor	X	X		X	X					X		X	X		
specialty shops / boutiques	X	X		X	X					X		X	X		
tackable wall surface / partitions											X				
vending area	X	X		X	X							X	X		
industrial															
clean rooms / sterile packaging					X			X	X						
conductive / static dissipative								X	X						
pharmaceutical	X	X			X			X	X						
research / production lab	X	X		X	X	X		X	X						
server room								X	X						
small parts assembly	X	X		X	X	X		X	X			X	X		
tackable wall surface / partitions											X				
warehouse / manufacturing area		X						X	X						
walk-in freezer						X									
assisted living / military															
barracks / residence rooms	X	X		X	X					X		X	X		
common areas	X	X		X	X					X		X	X		
corridors / lobbies	X	X	X	X	X					X		X	X		
desks / cupboards / furniture systems	X														
eating areas	X	X		X	X					X		X	X		
entrances														X	X
office / administrative	X	X	X	X	X					X		X	X		
server room								X	X						
tackable wall surface / partitions											X				

*Coral Grip is the only product recommended for outdoor ramps. All other Coral products are intended for indoor use.

** Nuway is only recommend for outdoor ramps when unbuffered wipers are being used.

*** Flotex is not recommended for use in locker rooms where ice skates or any metal spikes may be used.